

### **General Selection Guide**

#### **ECCOSORB MICROWAVE ABSORBER**

					FREE SPACE						
NEARFIELD NOISE SUPPRESSION				ISOLATION	REFLECTION REDUCTION						
	CAVITY RESONANCE				NARROW BAND	BROADBAND		TRANSMISSION LOAD/ TERMINATION			
20 Mhz - 2 Ghz	800 Mhz - 6 Ghz	6-18 Ghz	18-35 Ghz	35-100 Ghz	> 1 Ghz	700 Mhz - 40 Ghz	600 Mhz - 2 Ghz	2-18 Ghz	> 18 Ghz	1-18 Ghz	18-35 Ghz
NS 1000	MCS	BSR LS QR-13AF Thermo- plastic MF	GDS 5GMeF1 LS QR-13AF Thermo- plastic MF	MMI JCS 5GHiF1 JCP PBT 252	LS QR- 13AF JCS	SF	AN	AN FGM HR	HR	MF MF500F CR/CRS/CFS BSR	BSR Thermo- plastic MF



# MANUFACTURING CAPABILITIES

Injection Molding

Molding

Dispensing

Impregnation

Water jet cutting

Die cutting

Kiss cutting

Spraying

Wrapping

Machining

Lamination

# Absorber Product Lines (\*New Product Release)

### **ECCOSORB | CAVITY RESONANCE**

Dampening resonance solutions in enclosed space applications when the volume is on the order of a wavelength with non propagating waves.

Underlined product names are links which access detailed product information on the Laird website.

ELASTOMER	THIN SILICONE	FREQUENCY RANGE	
Eccosorb MCS	High loss UL rated sub 6 Ghz absorber sheet	800 MHz - 6 GHz	
Eccosorb BSR	High loss flexible sub 18 Ghz absorber sheet	6-18 Ghz	
Eccosorb GDS	Medium frequency UL rated absorber sheet	18-35 Ghz	
Eccosorb MMI	Harsh environment mm wave absorber sheet	35-100 Ghz	
Eccosorb JCS	Electrically conductive mm wave absorber sheet	35-100 Ghz	
Eccosorb 5GMeF1*	Medium 5G frequencies performance UL rated absorber sheet	18- 40 GHz	
Eccosorb 5GHiF1*	High 5G frequencies performance absorber sheet	40-100 GHz	
<u>FOAM</u>	LIGHTWEIGHT POLYURETHANE	FREQUENCY RANGE	
Eccosorb LS	Insertion loss flexible sheet series	>1 Ghz	
Eccosorb QR-13AF	Antimony free UL rated flexible sheet	>1 Ghz	
THERMOSET	RIGID MACHINEABLE	FREQUENCY RANGE	
Eccosorb MF	Epoxy stock series	1-18 Ghz	
Eccosorb MF500F	High temperature 260 degree Celsius epoxy stock series	1-18 Ghz	
COMPOUNDS	CASTABLE/DISPENSABLE LIQUID	FREQUENCY RANGE	
Eccosorb CR	2-parts castable rigid epoxy series	1-18 Ghz	
Eccosorb CRS	2-parts castable silicone series	1-18 Ghz	
Eccosorb CFS-8480	2 -parts castable high temperature silicone	0.6-10 Ghz	
THERMOPLASTIC	HIGH VOLUME INJECTABLE	FREQUENCY RANGE	
Eccosorb MF-PP	High loss polypropylene grade	1-35 Ghz	
Eccosorb MF-PA	High temperature 170 degree Celsius polyamide grade	1-35 Ghz	
Eccosorb MF-PPS*	Reflow compliant UL rated grade	1-35 Ghz	
Eccosorb MF-TPE	Flexible thermoplastic	1-35 Ghz	
Eccosorb JCP PBT 252*	High mechanical performance PolyButylene Teraphtalate grade	35-100 Ghz	













# TESTING CAPABILITIES

# Laird is leading the absorber expertise

in the market thanks to its high level equipment and contributions to the establishment of new standards and testing methods. Full parameters from 0.1-90 GHz are available in CST material library and upon request.

- Modeling and testing capabilities
- 2D and 3D modeling
- RF simulation and modeling
  - Ansys HFSS
  - CST
- RF measurement from 10 Mhz to 100 Ghz
- Reliability testing

### **ECCOSORB | FREE SPACE**

Free space solutions reduce reflections from surfaces and provide signal isolation and energy barrier between adjacent components. Involve propagating waves where the volume is large relative to wavelength of energy.

ELASTOMER	THIN SILICONE	FREQUENCY RANGE
Eccosorb SF	Frequency tuneable, narrow band high performance resonant sheet	0.7-40 Ghz
Eccosorb FGM	Hight temperature, low outgassing broadband sheet	2-18 Ghz
<u>FOAM</u>	LIGHTWEIGHT POLYURETHANE	FREQUENCY RANGE
Eccosorb HR	Controlled gradient open cell series	5-90 Ghz
Eccosorb AN	Multi layer gradient sheet series	600 Mhz - 20Ghz

### **ECCOSORB | NEAR FIELD**

Noise suppressor are board level solutions for EMI control to achieve better signal integrity.

ELASTOMER	THIN SHEET	FREQUENCY RANGE
NS 1000	Ultra thin, down to 0.06 mm, high permeability noise suppressor	20 Mhz - 2 Ghz

### **ECCOSTOCK | LOW LOSS DIELECTRIC**

Dielectrics have ability to compress waves and allow transmission of microwave energy useful in designing smaller circuit and lens.

FOAM	LOW DENSITY	LOSS TANGENT	DIELECTRIC CONSTANT
Eccostock LoK	Rigid syntactic foam rod, bar and sheet stock	<0.004	1.7
Eccostock Flex-LoK*	Flexible thin silicone version	0.002	1.7
Eccostock PP	Flexible closed cell sheet	0.0001	1.03-1.06
Eccostock SH	Rigid closed cell high temperature polyurethane sheets	0.001-0.005	1.04-1.25
THERMOSET	RIGID	LOSS TANGENT	DIELECTRIC CONSTANT
Eccostock 0005	Crosslinked polystyrene rod and sheet	0.0005	2.53
Eccostock HIK	Tuneable dielectric constant stock	<0.002	3 to 15
Eccostock HIK500F	High temperature tuneable dielectric constant stock	<0.002	3 to 30
COMPOUNDS	TERAPHTALATE GRADE	LOSS TANGENT	DIELECTRIC CONSTANT
Eccostock HIK Powder	Reusable, free flowing filling powder series	0.0004-0.0007	2.5-12
Eccostock HIK cement	2-part epoxy adhesive	0.01	3 to 15
Eccostock FFP	1-part epoxy free-flowing powder, curing into lightweight foam	0.005	1.25

# REFERENCE USE CASES

CHALLENGE/FUNCTION	MARKET	APPLICATION	ECCOSORB	ECCOSTOCK
EMI Interference reduction	Telecom, Automotive, Industrial, Aerospace, Defense, Consumer	Connectors, ADAS, ECU	LS, NS1000, MF Thermoplastic	
Cavity resonance control	Telecom, Automotive, Industrial, Aerospace, Defense, Consumer	ECU, RRU, Amplifier, Test box, Satcom equipment, ADAS, Optical transceiver	MCS, BSR, GDS, MMI, JCS, 5GMeF1, 5GHiF1, MF xx	
Reflectivity reduction	Automotive, Industrial, Telecom	ADAS, anechoic chamber, Scanner	FGM, SF, HR, AN	
Radar Cross section Reduction	Aerospace, Defense	Radar	FGM, SF, HR, AN	
Antenna crosstalk reduction	Telecom, Industrial, Consumer	Mobile infrastructure, Handset	HR, AN, MCS	
Antenna side lobe reduction	Telecom, Industrial, Consumer, Automotive	Infrastructure, Radar, Testing and Measurement equipment, ADAS	HR, AN, JCP PBT 252, MMI, JCS, LS	
Surface current attenuation	Telecom, Industrial, Consumer, Automotive, Aerospace	Handset, Infotainment, ECU, Cabling, Connector	LS, NS1000, SF, LS	
Waveguide termination	Telecom, Aerospace, Defense, Medical, Industrial	Transmission line Radar, Medical imaging, oscillator	MF, CR	
Space/Insulator	Telecom, Industrial, Consumer	Antenna, connector, coaxial transmission, wave guide support		PP, Lok, 0005, HIK, FFP, SH, Flex loK
Radome	Telecom, Industrial, Consumer, Aerospace, Medical	Antenna cover/housing, Diagnostic equipment, Probes and sensors, ADAS, Radar	JCP PBT 252	Lok, 0005, Flex loK
Thermal barrier	Aerospace, Defense, Industrial	High application, Space, Satellite		SH, HIK

## www.laird.com/contact

Americas: +1 (866) 928-8181 Europe: +49 8031 2460 0 China: +86-7552 7141166



