



# SUREBONDER®

BETTER BONDING™  
SINCE 1968



**SPECIALTY ADHESIVES**

**PROFESSIONAL GLUE GUNS**

**HOT MELT GLUE MANUFACTURER**

INDUSTRIAL PRODUCT CATALOG

# PROFESSIONAL GLUE GUNS



## PRO2-500 ADJUSTABLE TEMP

- Adjustable temp from 220° F to 400° F
- 500 Watt heater, greater glue output
- Comfort rubber grip handle
- Stroke adjustment screw
- Integrated gun balancer mount hole
- Interchangeable nozzles available
- Protective heat resistant nozzle cover
- Lighted on/off switch

Includes: Extra nozzle + storage case  
Uses: 5/8" (0.62") dia. glue sticks  
Weight: 1.75 lbs | Watts: 500



## PRO9700A ADJUSTABLE TEMP

- Adjustable temp from 220° F to 400° F
- Ergonomic long trigger design
- Comfort rubber grip handle
- Stroke adjustment screw
- Integrated gun balancer mount hole
- Interchangeable nozzles available
- Protective heat resistant nozzle cover
- Lighted on/off switch

Includes: Extra nozzle, 2 detachable stand styles + storage case  
Uses: 7/16" (0.43") dia. standard glue sticks  
Weight: 1.6 lbs | Watts: 300



## PRO2-220 ADJUSTABLE TEMP

- Adjustable temp from 220° F to 400° F
- Ergonomic long trigger design
- Stroke adjustment screw
- Integrated gun balancer mount hole
- Interchangeable nozzles available
- Protective heat resistant nozzle cover
- Lighted on/off switch

Includes: Extra nozzle, 2 detachable stand styles + storage case  
Uses: 7/16" (0.43") dia. standard glue sticks  
Weight: 1.3 lbs | Watts: 220



## PRO2-220HT HIGH TEMP

- Operating temp of 380° F
- Ergonomic long trigger design
- Stroke adjustment screw
- Integrated gun balancer mount hole
- Interchangeable nozzles available
- Protective heat resistant nozzle cover
- Lighted on/off switch

Includes: Extra nozzle, 2 detachable stand styles + storage case  
Uses: 7/16" (0.43") dia. standard glue sticks  
Weight: 1.3 lbs | Watts: 220



NOTE: Standard 7/16" diameter glue sticks fit in both 7/16" and 1/2" diameter glue guns



**PRO8000A QUICK HEATING**

- Operating temp of 380° F
- Dual Heaters
- Ergonomic finger trigger design
- Stroke adjustment screw
- Integrated gun balancer mount hole
- Interchangeable nozzles available
- Protective heat resistant nozzle cover
- Lighted on/off switch

Includes: Extra nozzle + 2 detachable stand styles  
 Uses: 7/16" (0.43") dia. standard glue sticks  
 Weight: 1.45 lbs | Watts: 180



**PRO2-100 HIGH TEMP**

- Operating temp of 380° F
- For high-temp applications
- Ergonomic long trigger design
- Comfort rubber grip handle
- Interchangeable nozzles available
- Protective heat resistant nozzle cover
- On/off switch

Includes: Detachable wire stand  
 Uses: 7/16" (0.43") dia. standard glue sticks  
 Weight: 0.9 lbs | Watts: 100



**PRO2-100L LOW TEMP**

- Operating temp of 250° F
- For low-heat applications
- Ergonomic long trigger design
- Comfort rubber grip handle
- Interchangeable nozzles available
- Protective heat resistant nozzle cover
- On/off switch

Includes: Detachable wire stand  
 Uses: 7/16" (0.43") dia. standard glue sticks  
 Weight: 0.9 lbs | Watts: 100



**HE-750 HIGH TEMP**

- Operating temp of 380° F
- Ergonomic finger trigger design
- Interchangeable nozzles available

Includes: Detachable wire stand  
 Uses: 7/16" (0.43") dia. standard glue sticks  
 Weight: 0.8 lbs | Watts: 80



**PRO2-80 HIGH TEMP**

- Operating temp of 380° F
- Ergonomic long trigger design
- Integrated gun balancer mount hole
- Protective heat resistant nozzle cover

Includes: Detachable wire stand  
 Uses: 7/16" (0.43") dia. standard glue sticks  
 Weight: 0.85 lbs | Watts: 80



# FEEL THE MOTORIZED POWER

SPEED, POWER & PRECISION FOR  
**MAXIMUM OUTPUT**

WITH MINIMAL USER EFFORT

## APPLICATIONS

Perfect for high volume projects

- Large Box Sealing
- Case Inserts
- Furniture & Upholstery
- Packaging
- Wood Working

### MGG-450

- Operating temp of 380° F
- Lighted on/off switch + LED "ready" light
- Rubber trigger grip
- Integrated gun balancer mount hole

Includes: Extra nozzle + storage case  
Uses: 7/16" (0.43") dia. standard glue sticks  
Weight: 2.75 lbs | Watts: 450

NOTE: NO air compressor needed

### MGG-500

- Operating temp of 380° F
- Lighted on/off switch + LED "ready" light
- Rubber trigger grip
- Integrated gun balancer mount hole

Includes: Extra nozzle + storage case  
Uses: 5/8" (0.62") dia. glue sticks  
Weight: 2.75 lbs | Watts: 500

NOTE: NO air compressor needed




# ACCESSORIES

**THERE'S A NOZZLE FOR EVERY PROJECT!**

## SPECIALTY NOZZLES

- (A) 6032 "T" Carpet nozzle
- (B) 102 Block (ribbon) nozzle
- (C) 103F 0.053" Flat extension
- (D) 103R 0.125" Round extension
- (E) 103N 0.080" Needle extension
- (F) 101 0.160" Check valve
- (G) 103CS-125 0.125" Cap
- (H) 103CS-90 0.090" Cap
- (I) 103C-076 0.076" Cap



Note:  
Cap, extension and block nozzles  
**MUST** use check valve (F)

## GLUE PADS

- Protect and keep your work surface clean!
- Double-sided silicone pads
- Provide a non-stick, heat resistant surface for up to 400° F
- Easy to clean - allow glue to dry and peel off, use hot soapy water
- Perfect for any project
- 3 Sizes Available


- 6104 4" Round diameter pad
- 6100 8" x 8" Square pad
- 6201 19" x 19" Square pad with rules

**KEEP YOUR WORK SURFACE  
CLEAN & PROTECTED**

*HEAT RESISTANT*

*EASY TO CLEAN*

*SILICONE PADS*





# SUREBONDER®

BETTER BONDING™  
SINCE 1968

Leading manufacturer of shaped

**hot melt products**

offering the best solutions  
for all of your projects!

